

A

## INDEX MAPS.

**T.2N R.5W 2<sup>nd</sup> Mer.**

	342	342	342	342	341	341						
345	6	363	5	359	4	356	3	352	2	348	1	341
	364	362	359	355	351	348						
344	7	362	8	358	9	355	10	351	11	348	12	340
	364	362	358	355	351	347						
344	18	361	17	358	16	354	15	350	14	347	13	340
	363	361	357	354	350	347						
344	19	361	20	357	21	353	22	350	23	346	24	340
	363	361	357	353	350	346						
343	30	360	29	356	28	353	27	349	26	346	25	339
	363	360	356	352	349	346						
343	31	359	32	356	33	352	34	349	35	345	36	339
	338	338	338	337	337	337						

**T.3N R.5W 2<sup>nd</sup> Mer.**

	370		370		370		369		369		369	
372	6	390	5	386	4	383	3	379	2	376	1	368
	391		390		386		383		379		376	
372	7	389	8	386	9	382	10	379	11	375	12	368
	391		389		386		382		379		375	
372	18	388	17	385	16	382	15	378	14	375	13	367
	391		388		385		381		378		375	
371	19	388	20	385	21	381	22	378	23	374	24	367
	390		388		384		381		378		374	
371	30	387	29	384	28	380	27	377	26	374	25	367
	390		387		384		380		377		373	
371	31	387	32	383	33	380	34	377	35	373	36	366
	366		366		365		365		365		365	

(P) The figures on the lines refer to the page.

Township N. 2. North of Range N. West, 2nd Mer. Sud.

ch. l. lns.

South Boundary

West Outth South Boundary of sec. 36. T. 2. N. R. 5 W.  
 34.00 To the bed of a stream 1 mile wide, Corner S.E.  
 40.00 Set a 7/8" post from which  
 Ash Oak 7 in. dia. bears N 47 N. 40 links dist; & a,  
 10. 5 " " " S 69 E. 37 " "  
 Sande barrens bushy; Timber Oak, & Persimmons &  
 65.43 To the bed of a Run 2 mile wide, Corner N.E.  
 70.00 " " " " Same " " " " N.W.  
 80.00 Set a post for the cor of sec. 35 & 36. from which on  
 Oak, 20 in. dia. bears N 42 E. 45 links dist; & a,  
 Oak 18 " " " S 13 E. 36 " "  
 Sande broken barrens, bushy Oak & &

West Outth South Boundary of sec. 35. T. 2. N. R. 5 W.  
 4.25 To a Run. 3 links wide, Corner N.E.  
 4.43 To a Run 10 " " " W.  
 40.00 Set a 7/8" post from which on  
 Ash, 12 in. dia. bears N 59 W. 10 links dist; & a,  
 Hickory 16 " " " S 5 E. 30 " "  
 41.00 To a Run. 2 links wide, Corner S.W.  
 80.00 Set a post for the cor of sec. 34 & 35 from which on  
 Hickory 15 in. dia. bears N 22 E. 45 links dist; & a,  
 10. 15 " " " S 59 W. 30 " "  
 Oak & Hickory land & &

West Outth South Boundary of sec. 34. T. N. 2. N. R. 5 W.  
 13.26 To a Run 3 links wide, Corner N.W.  
 18.57 " " " 2 " " " W.  
 21.18 To the bed of a Run 1 mile wide, Corner S.W.  
 40.00 Set a 7/8" post from which on  
 Ash, 12 in. dia. bears N 59 W. 10 links dist; & a,  
 Hickory 16 " " " S 5 E. 30 " "

20

20

line

T. N<sup>o</sup> 2. N.R. N<sup>o</sup> 5 W. 2<sup>nd</sup> Mer. S. 11<sup>th</sup>.

72.00	To a Run. 12 links wide, Corner W.
80.00	Set a post for the cor of sec. 33 & 34 from which a W Oak 18 in. dia: bears S 26 E. 28 links due; & a, R Oak 12, " " N 56 W. 38, " Sands flat; Timber Oak, Hickory & Gum.
Mesh	On the South Boundary of sec. 33. T. N <sup>o</sup> 2. N.R. 5 W.
21.50	To a Run. 10 links wide, Corner W.
40.00	Set a post for the cor of sec. 32 & 33 from which a Red Oak 11 in. dia: bears S 37 N. 27 links due; & a, W Oak 8, " " N 16 E. 26, " 48.60 To a Run. 1 link wide, Corner W.
52.00	To " " 2 " " " S W
80.00	Set a post for the cor of sec. 32 & 33. from which a W Oak 11 in. dia: bears S 32 E. 9 links due; & a, " Oak 11, " " N 47 W. 49, " This mile bet Oak, Hickory, Logwood & land.
Mesh	On the South Boundary of sec. 32 T. 2. N.R. 5 W.
31.00	To a Run. 3 links wide, Corner W.
40.00	Set a post for the cor of sec. 31 & 32 from which a Gum 18 in. dia: bears N 44 W. 5 links due; & a, Poplar 30 " " " S 68 E. 28, " 53.50 To a Run. 12 links wide; Corner W.
55.20	" " Same " " " " S E.
57.00	" " Same " " " " E.
80.00	Set a post for the cor of sec. 31 & 32 from which a W Oak 10 in. dia: bears N 32 E. 19 links due; & a, R Oak 30, " " S 75 W. 32, " Sands broken; Timber Oak, Hickory & Logwood.
Mesh	On the South Boundary of sec. 31. T. 2. N.R. 5 W.
18.57	To the bid of a Run. 1 link wide, Corner E.

40.00	Set a post from which W. Oak 18 in. diam. bears N 17 W. 33 links due; Va, Gum. 18 " " South 71 " "
78.94	Intersected the Range line between Ranges 5 & 6 N. 1 ch. & 43 links North of the cor of T. 1 S. 2 N. 5 W. Sands broken; Timber Oak & Hickory.

East Boundary

North	On the East Boundary of Sec. 25. T. 2. N. R. 5 W.
16.59	To the bed of a Run 2 links wide, Corner E.
27.50	" " " " " 2 " " " E.
31.50	To a W. Oak 18 in. diam. stands in the line.
40.00	Set a post from which B. Oak 20 in. diam. bears S 68 E. 13 links due; Va, B. Oak, 20 " " " West 54 " "
54.07	To a Hickory 12 in. diam. in the line.
80.00	Set a post for the cor of Sec. 25 & 36 from which Aspen 6 in. diam. bears N 39 E. 25 links due; & a Oak 6 " " " West 50 " " Sands broken; Timber Oak & Hickory.

North	On the East Boundary of Sec. 36. T. 2. N. R. 5 W.
24.44	To the bed of a Run 2 links wide, Corner E.
12.75	To a W. Oak 30 in. diam. stands in the line
35.41	To a Run. 15 links wide, Corner E.
40.00	Set a post from which Pine Oak 18 in. diam. bears N 12 W. 43 links due; & a Do. 15 " " " S 22 E. 18 " "
63.77	To the Bed of a Run 2 links wide, Corner E.
80.00	Set a post for the cor of Sec. 25 & 36. from which Hickory 10 in. diam. bears N 42 E. 19 links due; & a W. Oak 20 " " " S 79 W. 65 " " Sands Broken; Timber Oak, Hickory & S



T. No. 2. N.R. No. 54. 2<sup>nd</sup> Mar. Ad.

North On the East Boundary of sec. 24. T. 2. N.R. 54  
 6.53 To a Hick 12 in. dia. in the line  
 40.00 Set a 7/8" post from which a  
 W Oak 12 in. dia. bears N 25 W. 55 links dist; & a  
 Do. 20 " " " S 6 E. 21 " "  
 46.42 To the bed of a Run 1 link side, Corner W.  
 54.50 To a Run 1 link side, Corner E.  
 55.30 To a Hick 18 in. dia. stands in the line.  
 71.75 To a Run 3 links side, Corner N.E.  
 80.00 Set a post for the cor. of sec. 13 & 24 from which a  
 W Oak 20 in. dia. bears S 71 W. 58 links dist; & a  
 Do. 8 " " " " N 65 E. 2 " "  
 Sand broken; Timber Oak, Hick & some rocks near  
 the last mile post.

North On the East Boundary of sec. 13. T. 2. N.R. 54.  
 22.10 To the bed of a Run 2 links side; Corner E.  
 39.00 " a Run 20 links side, Corner E.  
 40.00 Set a 7/8" post from which a  
 W Oak 7 in. dia. bears S 6 E. 33 links dist; & a  
 Gum 8 " " " " N 46 W. 38 " "  
 76.00 To the bed of a Run 1 link side, Corner W.  
 80.00 Set a post for the cor. of sec. 12 & 13. from which a  
 W Oak 9 in. dia. bears S 33 W. 13 links dist; & a  
 Do. 10 " " " " S E. 70 " "  
 Sand broken; Timber Oak, Hick &

North On the East Boundary of sec. 12. T. 2. N.R. 54  
 40.00 Set a 7/8" post from which a  
 W. Walnut 10 in. dia. bears N 34 E. 18 links dist; & a  
 W Oak 14 " " " " S E. 35 " "  
 80.00 Set a post for the cor. of sec. 1 & 12 from which a  
 Sugar 11 in. dia. bears N 39 W. 30 links dist; & a

# T. N. 2 N.R. N. 5 W. 3rd Mer. Ind.

Buck. 10 in. diam. trees. S 7 E. 30 links dist;  
 Sande barrens; bushy; but few growing trees,

North	On the East Boundary of sec. 1. T. 2 N.R. 5 W.
4.00	To a Run. 15 links wide, Corner C.
10.44	To a W. Oak. 11 in diam. Stands in the tree
28.00	To the bed of a Run 2 links wide,
35.00	To a W Oak. 36 in. diam. in the tree.
40.00	Set a 1/4 section from which an
	W. Oak. 12 in. diam. trees. S 32 W. 3 links dist; & a,
	W. Oak - " " " N 35 E. 10 " "
	Sande broken; Timber Oak, Buck, Walnut, Ash, &
55.33	To a Hick 7 13 in diam. Stands in the tree.
80.00	Set apart for the cor of T. 2 & 3 N.R. 4 & 5 W. from
	which a Sugar. 15 in. diam. trees. S 24 W. 40 links dist;
	under a Do. 12 " " " N 27 E. 41 " "
	Sande broken; Timber Oak, Walnut, Hick 7
	Buck, Sugar, Poplar, &c. Tuesday Dec.

## North Boundary.

N. 1 S	On the South Boundary of sec. 36. T. 3 N.R. 5 W.
12.50	To a Run. 15 links wide, Corner N.W.
40.00	Set a 1/4 section from which a
	W Oak. 12 in. diam. trees. S 10 E. 60 links dist; & a,
	W. Oak. 18 " " " N 59 W. 31 " "
80.00	Set apart for the cor of sec. 35 & 36. from which a
	Sugar. 6 in. diam. trees. S 29 E. 10 links dist; & a,
	W. Oak 15 " " " N 9 W. 25 " "
	Sande broken; Timber Oak, Walnut & Sugar, Buck
	Ash, Hog. woods, Poplar, Hick 7, Elm, & Run, &c.

N. 1 S	On the South Boundary of sec. 35. T. 3 N.R. 5 W.
22.00	To a Run 10 links Corner N.E. & N.W.

## T. N. 3. R. 5 W. 2nd Mer. Ind.

40.00	Set a 7/8 in post from which an Elm 9 in. diam. bears S 4 E. 10 links dist; & a W. Oak 18 " " " N 26 W 30 " "
80.00	Set a post for the cor of sec 34 & 35 from which a W. Oak 20 in. diam. bears N 30 E. 135 lks dist; & a " No. 3 " " " N 23 W. 40 " " Sands & hick. Timber Oak & Hick.
W. T. 3	On the South Boundary of sec. 34. T. 3. R. 5 W.
40.00	Set a 7/8 in post in a prairie or barrens.
80.00	Set a post for the cor of sec. 33 & 34 from which a W. Oak 20 in. diam. bears S 17 E. 17 links dist; & a " No. 8 " " " N 81 W. 41 " " Sands & hick. barrens or prairie; Black jack.
W. T. 5	On the South Boundary of sec. 33. T. 3. R. 5 W.
40.00	Set a 7/8 in post in Open barrens.
80.00	Set a post for the cor of sec. 32 & 33. from which a W. Oak 5 in. diam. bears N 73 W. 150 links dist; & a " No. 12 " " " N 71 E. 382 " " Sands & hick barrens open & grassy; Oak
W. T. 3	On the South Boundary of sec. 32. T. 3. R. 5 W.
40.00	Set a 7/8 in post from which a W. Oak 8 in. diam. bears S 60 W. 6 lks dist; & a " No. 8 " " " N 41 E. 15 " "
80.00	Set a post for the cor of sec. 31 & 32 from which a W. Oak 12 in. diam. bears N 12 E. 11 links dist; & a W. Oak 30 " " " S 4 E. 63 " " Sands barrens; Timber W. Jack. &
W. T. 3	On the South Boundary of sec. 31. T. 3. R. 5 W.
40.00	Set a 7/8 in post in open barrens.

T. N. 2. N.R. N. 5 W. 2nd Mer. Ind.

81.40 Enter at the meridian line 52 links N. of the  
foot corner of T. 2 & 3. N.R. 5 & 6. W.  
Corrected the Random line back and established  
the posts on the true line as before described;  
Lumber Oak & Hickory Friday March 15. 1804  
Surveyed by.  
David Sanford Es.

### West Boundary

North On the East Boundary of T. 36. T. 2 N.R. 6 W.  
6.40 To a W. Oak, 36 in. diam. stands in the line.  
19.00 To a Brook 4 links wide, Corner W.  
32.65 " " W. Oak 22 in. diam. in the line.  
40.00 Set a post from which a  
W. Oak 10 in. diam. bears N  $\frac{1}{5}$  E. 15 links dist; & a  
Ho. 9 " " " S 80. W. 40 " "  
43.75 To a Branch, 4 links wide, Corner N  $\frac{1}{5}$  W.  
71.10 " " Do. 3 " " " W.  
74.11 To a W. Oak, 18 in. diam. in the line.  
80.00 Set a post for the cor of T. 25 & 36 from which a  
W. Oak 20 in. diam. bears N 64 E. 11 links dist; & a  
Ho. 12 " " " N 52 W. 17 " "  
Land here; Lumber Oak & Hickory

North On the East Boundary of T. 25 T. 2 N.R. 6 W.  
4.40 To a Branch 4 links wide, Corner W.  
33.50 " " Ho. 3 " " " N 70 W.  
40.00 Set a post from which a  
W. Oak 30 in. diam. bears N 58 W. 31 links dist; & a  
Hickory 12 " " " N 8 E. 8 " "  
55.00 To a W. Oak, 18 in. diam. in the line.  
71.61 To a W. Oak 22 " " " " "  
80.00 Set a post for the cor of T. 24 & 25 from which a



T. N. 2. N.R. N. 5 W. 2<sup>nd</sup> Mer. Sud?

W. Oak 23 in diam. bears N53 W. 18 links dist; 19  
 Ho. 10 " " " N73 E. 50 " "  
 Sande & timber same as last mile.

North On the East Boundary of Sec. 24 T. 2 N. R. 6 W.  
 12.50 To a W. Oak. 23 in diam. in the line.  
 21.30 To a W. Oak 22 " " " "  
 40.00 Set a 1/4 Sec. post from which a  
 W. Oak 12 in. diam. bears N30 W. 59 links dist; 19  
 Ho. 18 " " " S78 E. 61 " "  
 66.00 To a W. Oak 36 in. diam. in the line  
 80.00 Set a post for the cor of sec. 13 & 24 from which a  
 W. Oak, 23 in diam. bears N37 W. 20 links dist; 19  
 93 Oak 15 " " " S27 E. 27 " "  
 Sande & timber same as last mile.

North On the East Boundary of Sec. 13 T. 2 N. R. 6 W.  
 37.00 To a Branch. 3 links min. Corner N30 W.  
 40.00 Set a 1/4 Sec. post from which a  
 W. Oak, 27 in diam. bears N80 W. 13 links dist; 19  
 Ho. 10 " " " S33 W. 38 " "  
 57.00 To a Branch 35 in diam. Corner N30 W.  
 68.30 " " 15 " " " W.  
 71.75 To a Poplar. 36 in diam. in the line  
 80.00 Set a post for the cor of sec. 12 & 13. from which a  
 Elm 7 in diam. bears N7 W. 10 links dist; 19  
 Poplar 22 " " " S20 W. 43 " "  
 Sande & timber same as last mile.

North On the East Boundary of Sec. 12 T. 2 N. R. 6 W.  
 27.50 To a W. Oak 20 in diam. in the line  
 40.00 Set a 1/4 Sec. post from which a  
 W. Oak 23 in diam. bears N62 W. 33 links dist; 19

345

T. N. 2 N.R. N. 5 W. 2<sup>nd</sup> Mer. Ind. a.

55.50 W Oak 24 in diam. bears S 21 E. 49 lbs each  
 68.50 To a Poplar 48 in diam. in the line S 21 W.  
 " " Branch 3 limbs wide, N 40 W  
 80.00 Set a post for the cor of sec. 1 & 12 from which a  
 W Oak, 23 in diam. bears N 88 W. 20 lbs each; 10,  
 B. Oak, 21 " " " S 82 E. 58 " "  
 Sund level; Timber Oak. Survey 29. 1805.

North On the East Boundary of sec. 1. T. 2 N.R. 6 W.  
 22.30 To a B. Oak 30 in diam. in the line.  
 40.00 Set a 1/4 section post from which a  
 B. Oak. 20 in diam. bears N 14 W. 21 lbs each; 10,  
 Do. 22 " " " S 9 E. 9 " " "  
 73.40 To a B. Oak 26 in diam. stands in the line.  
 80.00 Set a post for the cor of sec. 2 & 3 N.R. 5 & 6 W. from  
 which a W Oak 24 in diam. bears N 11 E. 20 lbs each  
 and a B. Oak 30 " " " S 47 E. 38 " "  
 Sund level; Timber Oak & " Tuesday Jan 7 29. 1805

Surveyed by  
 Robert Stubbs & Jacob Fortin,  
 Deputy Surveyors.

### Subdivisions

North Between Sec. 35 & 36 T. 2 N.R. 5 W  
 21.00 To a Run. 10 limbs wide, Corner S. W.  
 26.00 " " Do. 6 " " " S. E. crossing  
 the line to the half mile post  
 40.00 Set a 1/4 section post from which a  
 Birch 7 in diam. bears N 88 W. 34 lbs each; 10,  
 Red Oak " " " North 47 " "  
 63.50 To the above named run Corner S. E.  
 80.00 Set a post for the cor of sec. 25 26. 35 & 36 from which  
 a W Oak 18 in diam. bears N 33 W. 14 lbs each; 10,

I N<sup>o</sup> 2 N.R. N<sup>o</sup> 5 W. 2<sup>nd</sup> Mer. Ind<sup>r</sup>:

W. Oak 18 in. diam. trees S 33 E. 2 links dist;   
 Lunde broken; Lunde Oak

East Return Sat. 25 & 26. I N<sup>o</sup> 2 N.R. 5 W

40.00 Set a 7<sup>th</sup> re-post from which a

W. Oak 11 in. diam. trees S 13 W. 25 links dist; & a

W. Oak 18 " " " N 29 W. 14 " "

55.50 To a Run 10 links wide, Course S.

76.00 " " " " " " " " " " " "

80.00 Intended the N & S line on East 1<sup>st</sup> Run at the post   
 crossed. 25 & 26.

Lunde broken; Lunde Oak,

North Return Sat. 25 & 26. I N<sup>o</sup> 2 N.R. N<sup>o</sup> 5 W

40.00 Set a 7<sup>th</sup> re-post from which a

W. Oak 48 in. diam. trees N 88 W. 20 links dist; & a

W. Oak 4 " " " N 48 E. 21 " "

Lunde broken; Lunde Oak, Hick & Dog wood.

80.00 Set a post for the crossed. 23, 24, 25 & 26 from which

W. Oak 20 in. diam. trees S 84 E. 48 links dist; & a

W. Oak — " " " N 18 W. 40 " "

Lunde same as last mile

West Return Sat. 24 & 25. I N<sup>o</sup> 2 N.R. 5 W

40.00 Set a 7<sup>th</sup> re-post from which a

W. Oak 18 in. diam. trees S 85 E. 43 links dist; & a

Lo. 18 " " " N 11 W. 38 " "

69.50 To a Run 3 links wide Course N.E.

80.00 Intended the N & S line at the cor of Sat. 23, 24, 25 & 26

Lunde broken; Lunde Oak, Hick & Dog wood

North Return Sat. 23 & 24 I N<sup>o</sup> 2 N.R. 5 W

40.00 Set a 7<sup>th</sup> re-post from which a

347

T. N<sup>o</sup> 2. N.R. N<sup>o</sup> 5 W. Q. and New End<sup>a</sup>

	W. Oak 8 in. dia. trees S 66 E. 20 links dist; & a, B. Oak 15 " " " S 87 W. 49 " " Sands broken; Timber Oak,
76.00	To a Run. 10 links mid, Corner S. W.
80.00	Set a post for the cor of Sec. 23, 24, 25 & 26 from which a Maple 18 in. dia. trees N 50 E. 19 links dist; & a, P. Oak 8 " " " S 5 E. 30 " " Sands broken; Timber Oak, Dogwoods & Hawth,
East	Between Sec. 13 & 24 T. N <sup>o</sup> 2. N.R. N <sup>o</sup> 5 W.
40.00	Set a 1/4 sec post from which a Hickory 6 in. dia. trees N 49 W. 16 links dist; & a, W. Oak 20 " " " S 60 E. 33 " "
80.00	Intersect the Meridian or East N. Boundary 150 links E. of the post cor of Sec. 13 & 24 Sands broken; Timber Oak
North	Between Sec. 13 & 14 T. N <sup>o</sup> 2. N.R. N <sup>o</sup> 5 W.
36.50	To a Run 15 links mid, Corner E.
40.00	Set a 1/4 sec post from which a Double W. Oak 30 in. dia. trees S 78 E. 14 links dist; & a, W. Oak 18 " " " S 57 W. 21 " "
51.50	To a W. Oak 24 in. dia. Trees in the Run
66.50	To a Run. 15 links mid, Corner S. E.
80.00	Set a post for the cor of Sec. 11, 12, 13, & 14 from which a W. Oak 24 in. dia. trees N 24 W. 25 links dist; & a, Sugm. 24 " " " N 57 E. 47 " " Sands broken; Timber Oak.
West	Between Sec. 12 & 13 T. N <sup>o</sup> 2. N.R. N <sup>o</sup> 5 W.
37.50	To a Run. 6 links mid, Corner S. W.
40.00	Set a 1/4 sec post from which a W. Oak 15 in. dia. trees S 57 E. 17 links dist; & a,



## T. N. 2. N.R. N. 5 W. 2nd Mer. Ind.

	W. Oak 17 in. diam. trees N80 W. 20 the ditch; <del>the</del> Sands broken; Timber Oak, Hickory, & Sassafras undergrowth trees &c.
79.50	To a Run 4 links wide, Corner S.E.
80.00	Entered the N & S line at the first corner 11.12, 13 & 14 Sands broken; Timber Oak,
North	Return Sat. 11 & 12 T. 2 N.R. 5 W.
30.50	To a W. Oak 24 in. diam. stands in the line
40.00	Set a 74 run post from which a W. Oak 20 in. diam. trees. N84 E. 34 links ditch; & a do. 15 " " " N48 W. 40 " " Sands broken; Timber Oak & Hickory.
80.00	Set a post for the cor. of sec. 1, 2, 11, & 12 from which a W. Oak 12 in. diam. trees. S54 W. 100 links ditch; & a do. 12 " " " S35 W. 1.33 " " This 1/2 mile open barrens; Shade under woods
East	Return Sat. 1 & 2 T. 2 N.R. 5 W.
40.00	Set a 74 run post from which a Hickory 18 in. diam. trees. S56 W. 20 links ditch; & a B. Oak 6 " " " N18 W. 14 " " Sands barrens; Little Timbers.
80.00	Entered the East Boundary 250 links South of the first cor. of sec. 1 & 12
North	Return Sat. 1 & 2 T. 2 N.R. 5 W.
40.00	Set a 74 run post from which a B. Oak 30 in. diam. trees. S59 W. 122 the ditch; & a do. 5 " " " N81 E. 46 " " Sands open barrens.
69.50	To a Run 10 links wide, Corner E.
82.20	Entered the N Boundary 10 the S.W. of the first cor.

I. N. 2. N. R. N. 5. N. Quad. New. Ind. 2.

of sec. 35 & 36 I. 2. N. R. 5. N. from which a  
Sugar 6 in. diam. bund. B59 E. 17 links each; & a,  
W Oak. 15 " " " N13 E. 25 " "  
Sands broken & Harris; Tinitus Oak,

North Between Sec. 34 & 35 I. 2. N. R. 5. N.  
8.50 To a Hickory 18 in. diam. in the line.  
20.00 To a Run 3 links mid, Course N.  
40.00 Set a  $\frac{1}{4}$  sec post from which a  
B Oak 18 in. diam. bund. B73 E. 43 links each; & a,  
Logwood 5 " " " B25 N. 21 " "  
Sands broken; Tinitus Oak, B Jack, Hickory & c.  
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which a  
B Oak 24 in. diam. bund. B80 E. 44 links each; & a,  
W Oak 6 " " " B80 N. 2 " "  
Broken Oak land;

East Between Sec. 26 & 35 I. 2. N. R. 5. N.  
29.00 To a Run 3 links mid, Course E. N.  
40.00 Set a  $\frac{1}{4}$  sec post from which a  
W Oak 18 in. diam. bund. B85 E. 19 links each & a,  
Hickory 5 " " " N72 N. 10 " "  
Sands broken; Tinitus Oak, Hickory & c.  
20.50 To a Run. 4 links mid, Course E. E.  
80.00 Intersected the N. E. line at the cor of sec. 26, 27, 34 & 35  
Sands broken; Tinitus Oak, & Hickory

North Between Sec. 26 & 27 I. 2. N. R. 5. N.  
40.00 Set a  $\frac{1}{4}$  sec post from which a  
W Oak 24 in. diam. bund. N64 N. 34 links each & a,  
B Oak. 6 " " " B73 E. 12 " "  
Oak, Hickory, Logwood & c.  
57.50 To a Run 20 links mid, Course N. N.

## T. N. 2. N. R. N. 5 W. 2. 2nd Mer. Sec.

80.00 Set a post for the cor of sec. 22, 23, 26, & 27 from which  
W Oak. 6 in. diam. bears. N 50 W. 10 links due; & a  
Lo. 18 " " " S 62 E - " "  
Oak, Hickory, Log wood, Black V.

West Between Sec. 23 & 26 T. 2 N. R. 5 W.

40.00 Set a 7/4 post from which a  
W Oak 30 in. diam. bears. S. E. 17 links due; & a  
Lo. 24 " " " N 23 W. 38 " "  
Sands broken; Timber W Oak, & some Hickory

80.00 Intersect the N 68 line at the post cor. of sec. 22, 23,  
26 & 27 Sands broken; Timber Oak, & Hickory

North Between Sec. 22 & 23 T. 2 N. R. 5 W.

34.00 To a Run 3 links side, Corner N. W.

40.00 Set a 7/4 post from which a  
W Oak. 5 in. diam. bears. S 84 W. 10 links due; & a  
Lo. 5 " " " North 42 " "

66.00 To a Run 3 links side, Corner N.

67.10 To a Hickory 15 in. diam. Standard line

80.00 Set a post for the cor of sec. 14, 15, 22, & 23. From which a  
Clump of Logwood bears S 84 W. 13 links due; & a  
Hickory 7 in. diam. bears. N 65 E. 44 " "  
Sands broken; Timber Oak, & Hickory.

East Between Sec. 14 & 23 T. 2 N. R. 5 W.

40.00 Set a 7/4 lev. post from which (In barrens)  
Maple 6 in. diam. bears. S 75 E. 1.75 the due

73.00 To a Run. 10 links side, Corner S W.

80.00 Intersected the N 68 line at cor of sec. 13, 14, 23 & 24  
This mile barren.

North Between Sec. 14 & 15 T. 2 N. R. 5 W.

351

T. N. 2. N.R. N. 5 W. 2<sup>nd</sup> Mer. Sur.

10.00	To a Run 3 links wide, Corner N.E.
14.50	To a W. Oak 36 in. diam. in the line
40.00	Set a 1/4 sec post from which W. Oak 20 in. diam. bears N 30 W. 79 the dist; & a, H. 8 " " " S 75 E. 54 " "
50.00	To a Run. 15 links wide, Corner S.W.
69.00	To a Hickory 18 in. diam. in the line.
80.00	Set a post for the cor of sec. 10. 11. 14 & 15 from which W. Oak 20 in. diam. bears N 70 E. 43 links dist; & a, Run. 4 " " " N 34 W. 13 " " Oak, Hickory, & 1/2 brushy

Met	Between Sec. 11 & 14 T. 2. N.R. 5 W.
30.00	To a Run. 25 links wide, Corner S.E.
40.00	Set a 1/4 sec post from which W. Oak 18 in. diam. bears N 74 E. 42 links dist; & a, W. Oak 20 " " " S 67 W. 27 " " Run broken; Oak, land;
80.00	Set out the Meridian or N & S line at the corner of sec 10. 11. 14 & 15      Wednesday March 13

North	Between Sec. 10 & 11. T. 2. N.R. 5 W.
40.00	Set a 1/4 sec post from which W. Oak 20 in. diam. bears S 73 E. 20 the dist; & a, W. Oak 18 " " " N 9 E. 42 " " Land broken; Timber Oak & 1/2.
51.00	To a Run. 35 links wide, Corner E.
80.00	Set a post for the cor of sec. 2, 3, 10 & 11 from which Hickory 7 in. diam. bears S 56 E. 56 links dist; & a, Run. 8 " " " North 60 " " Oak, Hickory, Walnut, Elm, & 1/2.

Met	Between Sec. 2 & 11 T. 2. N.R. 5 W.
-----	-------------------------------------





V. N. D. N.R. N. 5 W. 2nd Mer. Ind.

	W. Oak. 20 in. diam. bund N 10 W. 22 miles dist; Va W Oak. 24 " " " East 114 " "
	Land broken; Timber Oak
80.00	Intersect the N 5 W line at the cor of sec. 26, 27, 34 & 35 Land broken; Timber Oak, & Hickory
North	Return Sat. 27 & 28 I. D. N.R. 5 W.
9.00	To a Run. 20 miles wide, Course S.E.
13.50	" Same " " " " S.W.
15.00	" Same " " " " S.E.
18.50	" Same " " " " S.E. crossed it twice
20.00	To the same " " " " S.W.
17.50	To an Elm 36 in. diam. in the line.
40.00	Set a 1/4 sec. post from which W. Oak. 20 in. diam. bund. S 31 E. 19 miles dist; Va W Oak 20 " " " North 26 " "
70.50	To a Run 20 miles wide, Course S.E.
71.00	To a W. Oak 16 in. diam. stands in the line.
80.00	Set a post for the cor of sec. 21, 22, 27 & 28 from which W. Oak 24 in. diam. bund. S 35 W. 38 miles dist; Va W Oak 8 " " " N 23 E. 28 " "
	This mile long; Timber Oak, Hickory & Sugar, &c
West	Return Sat. 22 & 27 I. D. N.R. N. 5 W
29.00	To a Run 6 miles wide, Course S. S.
40.00	Set a 1/4 sec post from which W. Oak 30 in. diam. bund. N 65 W. 13 miles dist; Va W. Oak. 18 " " " S 5 E. 45 " "
57.00	To a Run 10 miles wide, Course S.
80.00	Intersect the N 5 W line at the first cor of sec 21, 22, 27 & 28 Land level; Timber Oak, Hickory.
North	Return Sat. 21 & 22 I. D. N.R. 5 W

# T. N. 2. N. R. N. 5 W. 2<sup>nd</sup> Mer. Ind.

25.00 To a W. Oak, 24 in. diam. Stands in the line  
 32.25 " " B. Oak 30 " " " " " "  
 40.00 Set a  $\frac{1}{4}$  cu. post, from which  
 W. Oak 8 in. diam. beam. S 35 E. 30 links east; & a  
 " Do. 15 " " " N 16 W. 45 " "  
 Sande beam; Timber W. Oak & Hickory  
 80.00 Set a post for the cor. of sec. 15, 16, 20 & 21 from which  
 B. Oak 7 in. diam. beam. S 56 W. 30 links east; & a  
 " B. Jack 5 " " " N 20 E. 37 " "  
 Timber Oak & Hickory  
 The run which our line has crossed so many times  
 this day may appropriately be called Sugar Creek  
 on account of the vast number of Sugar trees on its  
 banks.

Cash Return Sep. 15 & 22 T. 2 N. R. 5 W.  
 40.00 Set a  $\frac{1}{4}$  cu. post from which  
 B. Oak 7 in. diam. beam West 25 links east; & a  
 " Do. 12 " " " N 88 E. 42 " "  
 Timber B. Oak & Hickory  
 80.00 Intersected the N. W. line at the post cor. of sec. 14, 15,  
 22 & 23.

North Return Sep. 15 & 16 T. 2 N. R. 5 W.  
 40.00 Set a  $\frac{1}{4}$  cu. post from which  
 W. Oak 10 in. diam. beam. N 31 W. 28 links east; & a  
 " B. Oak 5 " " " N 38 E. 28 " "  
 Sande burrens; Timber Oak, Hickory & B. Jack.  
 47.00 To a Run 3 links wide, Corner C.  
 59.00 " " B. Oak 24 in. diam. Stands in the line  
 80.00 Set a post for the cor. of sec. 9, 10, 15 & 16 from which  
 B. Oak 14 in. diam. beam S 42 W. 55 links east & a  
 " Gum.  $\frac{3}{4}$  " " " N 85 E. 33 " "

T. N. 2. MR. N. 57. 2<sup>nd</sup> Mer. Ind.

Sand level barrens grass 1 Timber Oak, Hickory, &c.  
Hemp, Callagras, grapevines &c.

West	Return Sat. 10 & 15 T. N. 2 MR. 57.
40.00	Set a 7/4 cu. post from which a
	N. Oak. 5 in. dia. head. S 76 N. 88 miles due; & a
	do. 11 " " " N 63 N. 116 " "
	Sand level barrens; Timber Oak &c.
71.00	To a Run. 8 miles wide, Course S. E.
80.00	Intersected the Meridian or N 5 S line. cor. off
	Oct. 9. 10. 15 & 16. Monday March 11.

North	Return Sat. 9 & 10 T. N. 2 MR. 57.
18.50	To a Run. 15 miles wide, Course N. W.
25.00	" Same 15 " " " N E
26.50	" Same " " " " N W.
40.00	Set a 7/4 cu. post from which a
	N. Oak. 8 in. dia. head. S 85 N. 27 miles due; & a
	Chow. 6 " " " " N 75 E. 33 " "
	Sand level; Timber Oak, Hickory, & Birch &c.
80.00	Set a post for the cor. off Oct. 3. 4. 9 & 10 from which a
	N. Oak. 24 in. dia. head. S 50 N. 143 miles due
	Sand barrens; Timber destroyed by fire.

West	Return Sat. 3. & 10 T. N. 2 MR. N. 57.
31.00	To a Run. 6 miles wide, Course S.
40.00	Set a 7/4 cu. post from which a
	B. Jack. 5 in. dia. head. N 80 N. 39 miles due; & a
	N. Oak. 20 " " " " S 11 E. 13 " "
63.00	To a Run. 15 miles wide, Course S.
79.00	Intersected the Meridian or N 5 S line at the post cor.
	of Oct. 3. 4. 9 & 10 This mile barrens & brushy;
	Little Timber; Wednesday March. 6. 1805.



# *T. N. 2 N. R. N. 5 W. 2<sup>nd</sup> Mer. Ind.*

North Return Sat. 3 & 4. T. 2 N. R. 5 W.  
 15.00 To & from 15 miles wide, Comes S.E.  
 40.00 Set a 74 sup. post from which a  
 Hickory 6 in. dia. trans. S 81 W. 28 links each; & a  
 Oak, 8 " " " N 80 E. 12 " "  
 81.80 Intercept the N. R. boundary 1.05 miles west of the post  
 cor. of sat. 33 & 34 T. 3 N. R. 5 W. from which a  
 W. Oak. 20 in. dia. trans. S 82 E. 111 links each; & a  
 L. O. 8 " " " N 84 E. 65 " "  
 Oak & Hickory Sunde; Monday March 4, 1805

North Return Sat. 32 & 33. T. 2 N. R. 5 W.  
 40.00 Set a 74 sup. post from which a  
 W. Oak. 20 in. dia. trans. S 5 E. 44 links each; & a  
 L. O. 18 " " " S 83 W. 32 " "  
 Sunde cut; Timber Oak, & Hickory.  
 76.50 To & from Oak, 18 in. dia. 11 miles on the line.  
 80.00 Set a post for the cor. of Sat. 28, 29, 32, & 33 from which a  
 Hickory 15 in. dia. trans. N 76 E. 28 links each; & a  
 W. Oak 24 " " " N 76 W. 37 " "  
 Sunde broken; Timber Oak, & Hickory

East Return Sat. 28 & 33. T. 2 N. R. 5 W.  
 34.50 To & from 10 miles wide, Comes S.  
 40.00 Set a 74 sup. post from which a  
 W. Oak 30 in. dia. trans. S 44 W. 7 links each; & a  
 W. Oak 24 " " " East 66 " "  
 80.00 Intercept the N. R. line at the post cor. of sat. 27, 28,  
 33 & 34 This half mile broken; Timber 13 Jack Oak,  
 Hazel, Sassafras firs &c. Tuesday March 12.

North Return Sat. 28 & 29. T. 2 N. R. 5 W.  
 15.00 To & from 8 links wide, Comes E.

T. N. D. N. R. N. 5 W 2<sup>nd</sup> Mer. Ind.

40.00	Set a 7/8 su post from which W Oak. 18 in. diam. beam. North 37 miles due; Vg W Oak. 36 " " " S 75 E. 26 " " Timber Oak, Hickory & W. Jack.
80.00	Set a post for the cor of sec. 20. 21. 28 & 29 from which W Oak. 20 in. diam. beam. N 47 W. 41 miles due; Vg Ho. 7 " " " S 64 E. 38 " " Land broken; Timber Oak, Hickory, Sassafras & Hopto
West	Return Sat. 21 & 28. T. D. N. R. 5 W.
10.00	To Sugar Creek corner. S. E.
40.00	Set a 7/8 su post from which W Oak. 6 in. diam. beam. N 23. E. 39 miles due; Vg Ho. 24 " " " S 68 W. 43 " " Land upland; Timber Oak, Hickory & 1/2 on the creek, Elm & Sugar.
80.00	Intersect the N & S line at the post cor of sec 20. 21. 28 & 29 Land broken; Timber Oak. Hickory & 1/2
North	Return Sat. 20 & 21 T. D. N. R. 5 W.
40.00	Set a 7/8 su post from which W Oak. 8 in. diam. beam. S 42 E. 28 miles due; Vg Walnut. 7 " " " N 42 W. 29 " " Oak, Hickory, Dogwood, Sassafras, Hopto & 1/2.
66.50	To a Run. 5 miles wide, corner S. E.
67.50	" " " 10 " " " E.
80.00	Set a post for the cor of sec. 16. 17. 20 & 21 from which W Oak. 20 in. diam. beam. N 62 W. 54 miles due; Vg Ho. 24 " " " S 69 E. 17 " " Land broken; Timber Oak, Hickory, Sassafras & Hopto
West	Return Sat. 16 & 21. T. D. N. R. 5 W.
37.50	To a Run. 6 miles wide, corner S. E.

*I. N. 2 N.R. N. 5 W. 2nd Mer. Ind.*

40.00 Set a 74 sq foot from which  
 Hickory 15 in. diam. trunk. N 20 W 14 links curb; & a  
 W Oak. 18 " " S 57 W 73 " "  
 80.00 Enter out the N & S line at the foot cor of sec. 16. 17. 20 & 21  
 Sande hub; Timber Oak, Hickory & Gum. &

North Return Sec. 16 & 17 I. 2 N.R. 5 W.  
 40.00 Set a 74 sq foot from which  
 W Oak. 18 in. diam. trunk. N 80 E. 44 links curb; & a  
 Gum. 9 " " " S 36 W 26 " "  
 Sande hub; Timber Oak, Hickory, Gum, &  
 52.80 To a W Oak. 18 in. diam. in the line.  
 80.00 Set a post for the cor of sec. 8. 9. 16 & 17 from which  
 Gum. 8 in. diam. trunk. S 32 W. 41 links curb; & a  
 Elm. 15 " " " N 32 W. 72 " "  
 Sande hub; Timber Oak, Hickory

West Return Sec. 9 & 16 I. 2 N.R. 5 W.  
 8.00 To a Run. 5 links wide, Corner S.W.  
 39.00 " " " " " " S.  
 40.00 Set a 74 sq foot from which  
 Elm 8 in. diam. trunk. N 1 E. 12 links curb; & a  
 W Oak 5 " " " S 29 E. 42 " "  
 Sande hub; Timber Oak. &  
 80.00 Enter out the N & S line at the cor of sec. 8. 9. 16 & 17  
 Timber Oak & Hickory Tuesday March 5.

North Return Sec. 8 & 9 I. 2 N.R. 5 W.  
 8.80 To a W Oak. 48 in. diam. in the line  
 18.50 To a W Oak. 48 " " " " "  
 25.00 To a Run. 4 links wide, Corner N.E.  
 27.10 " " " " " " N.E.  
 40.00 Set a 74 sq foot from which

	<p>48 Oak 20 in. dia. trunk 855 W. 15 links each; 1 a</p> <p>Lo. 8 " " " 875 E. 50 " "</p> <p>Land broken; Timber Oak, Walnut, &amp;c</p>
31.00	<p>To a Run. 3 links side, E.</p>
52.00	<p>" " " 5 " " N.E.</p>
80.00	<p>Set a post for the cor of lot 4, 5, 8 &amp; 9 from which a</p> <p>Wick 18 in. dia. trunk. 847 E. 41 links each; 1 a,</p> <p>Lo. - " " " 875 W. 28 " "</p> <p>Land level; Timber Oak, Hickory &amp;c. brushy &amp; full of vines</p>
East	<p>Return Lot 4 &amp; 9 T. 2 N. R. 571.</p>
34.00	<p>To a Run 10 links side, Comes N. E.</p>
40.00	<p>Set a 7th post from which a</p> <p>48 Oak 18 in. dia. trunk. 876 E. 45 links each; 1 a</p> <p>Lo. 3 " " " 826 E. 65 " "</p>
80.00	<p>Enter at the Meridian, or N. &amp; S. line at the cor of lot 4.</p> <p>34. 9 &amp; 10 Land broken; Timber Oak, Hickory.</p> <p>Tuesday March 5. &amp;c</p>
North	<p>Return Lot 4 &amp; 5 T. 2 N. R. 571.</p>
12.50	<p>To a Run 4 links side, Comes " " E.</p>
40.00	<p>Set a 7th post from which a</p> <p>48 Oak 18 in. dia. trunk. 877 W. 45 links each; 1 a,</p> <p>Hickory 9 " " " 877 W. 54 " "</p>
80.00	<p>Enter at the N. &amp; S. boundary <sup>W of 4</sup> 350 the post cor of lot 3, 3 &amp; 32</p> <p>T. 3 N. R. 571. from which Lot 5 &amp; 11; &amp;c</p> <p>48 Oak 5 in. dia. trunk. 877 E. 116 links each; 1 a</p> <p>Lo. 12 " " " 878 E. 622 " "</p> <p>Timber Oak, Hickory &amp; Brushy</p>
North	<p>Return Lot 31 &amp; 32 T. 2 N. R. 571.</p>
21.00	<p>To a Run 6 links side</p>
40.00	<p>Set a 7th post from which a</p>



T. N. 2 N. R. N. 5 W 2<sup>nd</sup> Mer. Ind.

Poplar 11 in. diam. trees. S 67 N. 42° into ditch; & a  
 W Oak 7 " " " N 60 E. 10° " "  
 Broken Oak, Sand.  
 54.50 To a P. Oak 24 in. diam. in the line.  
 61.50 " " Run. 15 lbs. side, Corner S.E.  
 80.00 Set a post for the cor of sec. 29, 30, 31, & 32 from which  
 W Oak 9 in. diam. trees. S 11 W. 17° the dirt runs & a,  
 Gum. 7 " " " N 46 E. 10° " "  
 Sand broken; Timber Oak, Poplar, Water Oak, Gum  
 Hickory & c.

East Return Sec. 29 & 30 T. 2 N. R. 5 W.  
 40.00 Set a 7/4 post from which  
 W Oak 12 in. diam. trees. S 59 N. 53° into ditch; & a  
 Do. 18 " " " N 76 E. 18° " "  
 Broken Oak Sand;  
 80.00 Intercept the N. & S line at the post cor of sec. 28, 29, 30 & 33  
 This mile is broken land; Timber Oak, Hickory & c. Hog corn  
 Sassafras, Hazel, Sumach & Grapenut

North Return Sec. 29 & 30 T. 2 N. R. 5 W.  
 20.50 To a Run 7 white side, Corner N.W.  
 23.85 " " W Oak 36 in. diam. in the line.  
 31.00 To a Run 8 white side, Corner N.  
 40.00 Set a 7/4 post from which  
 Swamp Oak 18 in. diam. trees. S 8 E. of into ditch; & a  
 Do. 18 " " " S 70 N. 6° " "  
 Sand broken; Timber Oak, Hickory & c.  
 73.50 To a Run 10 lbs. side, Corner W  
 80.00 Set a post for the cor of sec. 19, 20, 29 & 30 from which  
 a W Oak 14 in. diam. trees N 58 W. 24° into ditch;  
 La R. Jack 7 " " " S 77 E. 57° " "  
 Sand broken; Timber Oak, Hickory, & c.

361

T. N. 2. N. R. N. 5. 2nd. Jan. Sud.

Wash Return Sep 20 + 29 T. 2 N. R. 5. W.  
 40.00 Set a 7/8 sa post from which a  
 W. Oak 24 in. diam. beam. S 57 E. 33 the arch; & a  
 Hick 8 " " " S 80 W. 30 " "  
 50.00 To a Run 5 links wide, Corner E.  
 78.00 " " " 10 " " " " "  
 80.00 Set a post at the N. & S. line at the first cor. of sep.  
 19. 20. 29 & 30  
 Sand broken; Limbu Oak,

North Return Sep 19 + 20 T. 2 N. R. 5. W.  
 19.00 To a W. Oak 18 in. diam. in the line.  
 40.00 Set a 7/8 sa post from which a  
 W. Oak 20 in. diam. beam. South 2 links thick; & a  
 Ho. 24 " " " North 70 " "  
 Sand broken; Limbu Oak, Hick 7 & 5.  
 77.00 To a Run 3 links wide, Corner W.  
 80.00 Set a post fr. the cor. of sep. 17. 18. 19 + 20 from which  
 a W. Oak 24 in. diam. beam. S 4 E. — the arch; & a  
 W. Oak 18 " " " N 34 E. 10 " "  
 Sand broken; Limbu Oak & Hick 7.

Wash Return Sep 17 + 20 T. 2 N. R. 5. W.  
 5.00 To a Run 10 links wide, Corner E.  
 40.00 Set a 7/8 sa. post from which a  
 W. Oak 24 in. diam. beam. S 19 E. 55 links arch; & a  
 Ho. 20 " " " N. 77. 50 " "  
 Sand broken; Limbu Oak, in arch the Hoyle &  
 Gaslafras.  
 80.00 Set a post at the N. & S. line  
 Sand broken; Limbu Oak, Hick 7 & 5.

North Return Sep 17 + 18 T. 2 N. R. 5. W.

I. No. 2. N.R. N. 5 W. 2<sup>nd</sup> Mer. Ind.

20.50 To a Run 9 miles into, Comco W.  
40.00 Set a 70 sap post from which a  
W Oak 8 in. diam. trees N 5 W 82 links dist; & a  
Pecanum 5 " " South 20. " "  
Lands broken; Timber Oak, Hickory &c.

Cash Return Sat. 8 + 17 I. 2 N.R. 5 W.  
40.00 Set a 70 sap post from which a  
W Oak. 12 in. diam. trees S 76 W. 47 links dist; & a  
Lo. 30 " " " N 54 E. 32 " "  
80.00 Entered the N 5 W line; Lands broken; Timber Oak & Hickory  
Thursday March 14<sup>th</sup>

North Return Sat. 7 + 8 I. 2 N.R. 5 W.  
29.90 To a W Oak 24 in. diam. stands in the line.  
40.00 Set a 70 sap post from which a  
W Oak. 15 in. diam. trees. S 38 E. 20 links dist; & a  
Lo. 18 " " " S 75 W. 31 " "  
Oak, Hickory &c.  
68.00 To a W Oak 15 in. diam. stands in the line.  
80.00 Set a post for the cor. of sec. 5, 6, 7 + 8 from which a  
W Oak. 24 in. diam. trees. S 59 E. 19 links dist; & a  
W Oak 24 " " " N 61 W. 53 " "  
Lands broken; Timber Oak, Hickory &c.

Cash Return Sat. 5 + 8 I. 2 N.R. 5 W.  
40.00 Set a 70 sap post from which a  
W Oak. 24 in. diam. trees N 88 W. 40 links dist; & a  
Lo. 18 " " " S 32 E. 17 " "  
80.00 Entered the Municipals or N 5 W line. cor.  
of 4, 5, 8 + 9 Thursday March 7.  
Oak Hickory &c.

T. N. 2 N.R. 5 W. 2<sup>nd</sup> Mer. Sud.<sup>a</sup>

North	Return Sud. 576 T2 N.R. 5 W.
40.00	Set a 74 w. post from which a Quin 7 in. dia. beam. N60 E. 38 links arb; & a W. Oak 24 " " S 72 W. 54 " " Oak, Hickory & S.
77.25	Entered the N.W. Boundary 4.73 miles West of the post cor. of Sud. 31 & 32. T3 N.R. 5 W. from which a W. Oak 12 in. dia. beam. N88 E. 4.76 links arb; & a W. Oak 30 " " " S83 E. 4.80 " " Sands broken; Timber Oak, Hickory & S.
West	Return Sud. 30 & 31 T2 N.R. 5 W.
10.00	To a Run. 15 links wide, comes S.W.
40.00	Set a 74 w. post from which a Dogwood 5 in. dia. beam. S46 E. 30 links arb; & a W. Oak. 24 " " " West 3 " "
78.50	Entered the West Boundary 75 links North of the cor. of Sud. 25 & 36 T2 N.R. 5 W. Sands broken; Timber Oak.
West	Return Sud. 19 & 30 T2 N.R. 6 W.
25.00	To a Run 12 links wide, comes N.E.
40.00	Set a 74 w. post from which a Apple 8 in. dia. beam. N18 W. 21 links arb; & a W. Oak. 12 " " " S56 W. 31 " " Oak, Hickory & S.
78.50	Entered the West Boundary 170 links North of the post cor. of Sud. 24 & 35 T2 N.R. 6 W.
West	Return Sud. 18 & 19 T2 N.R. 5 W.
40.00	Set a 74 w. post from which a W. Oak. 12 in. dia. beam. S.E. 30 links arb; & a Do. 18 " " " N5 W. 34 " "



Twp. 2. N.R. No 5 W. 2<sup>nd</sup> Mer. Ind.

79.00 Sand broken; Timber Oak, Hickory &  
Intersect the West Boundary 220 miles North of the  
Post cor. off Sw. 13 & 24 T. 2 N.R. 6 W.  
Sand broken; Timber Oak.

West Return Sw. 7 & 18 T. 2 N.R. 5 W.

40.00 Set a 74 cu post from which a  
W. Oak. 18 in. diam. trees 550 W. 27 miles in 26; & a  
Lo. 18 " " " 566 E. 50 " "  
Oak. Hickory &.

49.00 To a Run. 10 miles wide, Corner S.W.

79.00 Intersect the N & S line 293 miles North of the  
Post cor. off Sw. 12 & 13. T. 2 N.R. 6 W.  
Sand broken bottom; Timber Oak, Hickory,  
Poplar, Sugar &c.

West Return Sw. 6 & 7 T. 2 N.R. 5 W.

40.00 Set a 74 cu post from which a  
W. Oak. 8 in. diam. trees. 550 W. 22 miles in 26; & a  
Lo. 18 " " " 566 W. 27 " "  
Sand broken; Timber Oak,

77.72 Intersect the West Boundary 400 miles North of the  
Post cor. off Sw. 14 & 12 T. 2 N.R. 6 W.  
Sand broken; Timber Oak, Hickory &.

Surveyed by  
David Sanford D.S.

I certify that the foregoing Transcript of the Field Notes  
of Township No. 2 North of Range No. 5 West. 2<sup>nd</sup>  
Principal Mer. Indiana, has been compared with the  
original notes in this Office & found to be correct.

Surveyor General's Office  
Cincinnati April 21. 1841.

C. S. Haines

Sur. Genl.